



PA-940

Order No.: 17.2090

EUR 579,00

RRP *

PRODUCTINFOS

Mono PA mixing amplifier

- 1 x 240 W
- 4 balanced mic/line inputs
- Mic 1 with priority circuit and automatic talkover
- Additional connection for desktop microphone via screw terminal
- 1 aux input
- Speaker outputs via screw terminals
- Line output
- Insert facility for preamplifier
- Input and output level controls
- 2-way tone control for the output
- 21 V phantom power, selectable
- Temperature-controlled fan, continuously adjustable
- Mains operation or 24 V emergency power operation
- Removable mounting brackets

TECHNICAL SPECIFICATIONS

Channels	5
Zones	-
Power rating	240 W
Power rating at 2 Ω	-
Power rating at 4 Ω	-
Power rating at 8 Ω	-
Power rating at 100 V	-
Power rating with 4 Ω bridged operation	-
Power rating with 8 Ω bridged operation	-
Peak music power output (P_{MAX})	340 W
Inputs	1.5 mV (mic), 300 mV (line, aux)
Frequency range	50-15,000 Hz, ± 3 dB
Crossover network	-
Crossover frequency	-
Integrated limiter	-
Equalizer bass	± 10 dB/100 Hz
Equalizer midrange	-
Equalizer treble	± 10 dB/10 kHz
S/N ratio	> 92 dB
Crosstalk attenuation	-
THD	< 2%
Power supply	\sim 230 V/50 Hz/520 VA, DC 24 V/18 A
Mains voltage	\sim 230 V
Mains frequency	50 Hz
Power consumption, operation	520 VA
Power consumption, standby	-
Standby current	-
Alternative operating voltage	DC 24 V
Alternative power supply	DC 18 A
Admiss. ambient temp.	0-40 $^{\circ}$ C
Dimensions	482x135x380 mm, 3 RS
Width	482 mm

Height	135 mm
Depth	380 mm
Rack spaces, RS	3
Weight	19.5 kg
Connections	4 x XLR (mic/line), 1 x RCA L/R (aux), 1 x RCA L/R (line out), screw terminals (speakers)

* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.